



Ministry of Education and Science of Ukraine
Institute of Education Content Modernization, Kyiv, Ukraine
National Technical University of Ukraine "Igor Sikorsky Kyiv Polytechnic Institute", Kyiv, Ukraine
Institute of Cell Biology and Genetic Engineering of the National Academy of Sciences of Ukraine, Kyiv, Ukraine
The Scripps Research Institute, La Jolla, California, United States of America (sponsor)
University of Hull, Department of Chemical Engineering, Hull, United Kingdom
The LUKASIEWICZ Research Network – Industrial Research Institute for Automation and Measurements – PIAP,
Warsaw, Poland

XVII International Scientific and Practical Conference for students, postgraduates and young scientists "Biotechnology of the XXI Century"

*Dedicated to the 125th anniversary of the foundation of Igor Sikorsky Kyiv Polytechnic Institute
19.05.2023, Kyiv, Igor Sikorsky Kyiv Polytechnic Institute*

SCIENTIFIC SECTIONS OF THE CONFERENCE

Section 1. Industrial, food, agricultural and medical biotechnology.

Section 2. Environmental biotechnologies, bioenergetics and bioinformatics.

Section 3. Biotechnics. Equipment of pharmaceutical and biotechnological industries.
Ultrasound in biotechnology.

PROGRAM COMMITTEE

Tetiana Todosiichuk – DSc, Professor, Dean of the Faculty of Biotechnology and Biotechnics of Igor Sikorsky Kyiv Polytechnic Institute – Chairman;

Mykola Kuchuk – DSc, Corresponding Member of the National Academy of Sciences of Ukraine, Director of the Institute of Cell Biology and Genetic Engineering of the National Academy of Sciences of Ukraine – Co-Chairman.

Xuebin Ke – Ph.D., Senior Lecturer of the Department of Chemical Engineering of University of Hull;

Vadim Klyushnichenko – Ph.D., VP Pharmaceutical Development & Quality of the Scripps Research Institute;

Igor Korobiichuk – doctor of habilitation, Ph.D., Director of the Department of Scientific Support of the PIAP Industrial Research Institute of Automation and Measurements;

Victoria Mel'nyk – DSc, Professor, Head of the Department of Biotechnics and Engineering of Igor Sikorsky Kyiv Polytechnic Institute;

Natalia Golub – DSc, Associate Professor, Head of the Department of Bioenergy, Bioinformatics and Ecobiotechnology of Igor Sikorsky Kyiv Polytechnic Institute;

Valentyna Polishchuk – Ph.D., Associate Professor, Acting Head of the Department of Industrial Biotechnology and Biopharmacy of Igor Sikorsky Kyiv Polytechnic Institute;

Oleksiy Dugan – DSc, Professor, Professor of the Department of Industrial Biotechnology and Biopharmacy of Igor Sikorsky Kyiv Polytechnic Institute;

Yevgeniy Kuzminskiy – DSc, Professor, Professor of the Department of Bioenergy, Bioinformatics and Ecobiotechnology of Igor Sikorsky Kyiv Polytechnic Institute;

Svitlana Gorobets – DSc, Professor, Professor of the Department of Bioenergy, Bioinformatics and Ecobiotechnology of Igor Sikorsky Kyiv Polytechnic Institute;

Bogdan Morgun – DSc, Leading Researcher, Deputy Director of the Institute of Cell Biology and Genetic Engineering of the National Academy of Sciences of Ukraine;

Vladyslav Shybetskyi – Ph.D., Associate Professor, Vice-dean for Scientific and International Activity of the Faculty of Biotechnology and Biotechnics of Igor Sikorsky Kyiv Polytechnic Institute.

ORGANIZATIONAL COMMITTEE

Sergii Kostyk – Ph.D., Associate Professor, Associate Professor of the Department of Biotechnics and Engineering of Igor Sikorsky Kyiv Polytechnic Institute - Chairman;

Myroslava Kalinina – Ph.D., Senior Lecturer of the of the Department of Biotechnics and Engineering of Igor Sikorsky Kyiv Polytechnic Institute - Deputy Chairman;

Tetiana Bohdan – Ph.D., Associate Professor, Associate Professor of the Department of Industrial Biotechnology and Biopharmacy of Igor Sikorsky Kyiv Polytechnic Institute;

Lolita Marynchenko – Ph.D., Associate Professor of the Department of Bioenergy, Bioinformatics and Ecobiotechnology of Igor Sikorsky Kyiv Polytechnic Institute;

Olena Syroid – Assistant of the Department of Industrial Biotechnology and Biopharmacy of Igor Sikorsky Kyiv Polytechnic Institute;

Diana Farfolameieva – Assistant of the Department of Industrial Biotechnology and Biopharmacy of Igor Sikorsky Kyiv Polytechnic Institute;

Dina Koltysheva – Postgraduate Student of the Department of Bioenergy, Bioinformatics and Ecobiotechnology of Igor Sikorsky Kyiv Polytechnic Institute;

Vadym Pits – Postgraduate Student of the Department of Industrial Biotechnology and Biopharmacy of Igor Sikorsky Kyiv Polytechnic Institute.

REGISTRATION AND SUBMISSION OF MATERIALS

In connection with the operation of the legal regime of martial law in Ukraine, the conference will be held in absentee format (without speeches) and with the publication of the collection of conference materials in electronic form.

Languages of the conference: Ukrainian, English.

Participation in the conference is free.

The materials of the conference will be published in the electronic collection of the conference and placed on the Open Journal Systems platform: <http://conf.biotech.kpi.ua/> and on the website of the Faculty of Biotechnology and Biotechnics: <http://biotech.kpi.ua/>.

Indexing: Google Scholar

To participate in the conference, the following must be sent to the email address biotechconf@ukr.net by **April 30, 2023**: a completed application for participation, an electronic version of the conference paper. Materials will be considered by the program and organizational committee and a decision will be made regarding the possibility of their publication. You will receive a confirmation letter to your e-mail address that the conference paper have been accepted for publication.

Please send materials and applications in **.docx** format. The file name should contain the section number and the name of the author responsible for the conference paper.

Sample file names: Section 1–Ivanenko-application; Section 1–Ivanenko conference paper.

IMPORTANT!

One author can submit no more than 2 conference paper.

A manuscript may be submitted for review only if the following conditions are met:

- the research was conducted by a team of authors in compliance with scientific standards;
- the manuscript is original and has not been previously published anywhere, including by the authors;
- the manuscript is not currently under consideration in another journal or conference;

- the manuscript is the result of the conducted research and must necessarily correspond to the structure:
 - Introductions (indicate the aim of the research)
 - Materials and methods
 - Results and discussion
 - Conclusions
 - References
- authors are responsible for the scientific content and reliability of the results;
- the manuscript must meet the requirements for registration.

REQUIREMENTS FOR PREPARATION OF CONFERENCE PAPER

- **2-4 full pages** (with a list of references) in **A4** format, all margins are **2 cm**;
- the text of the conference paper must meet the requirements: font **Times New Roman, 14 pt, single spacing**, alignment of the main text **by width**;
- in the upper left corner – the **UDC** index (14 pt, alignment from the left edge), the UDC index can be found on the website: <http://teacode.com/online/udc>;
- title of the conference paper (14 pt, capital letters, font – semi-bold, center alignment);
- surname and initials of the author(s), name of the institution and e-mail address of the contact person (14 pt, bold, center alignment);
- for authors from different institutions, the upper numerical index is indicated after the last name (**Tregub M.S.¹, Sakhno L.O.²**), which is deciphered in the next line indicating the place of work (study);
- place of work (study) in the nominative case (in bold, centered alignment);
- formulas are designed only in the MathType formula editor;
- graphic materials (drawing, scheme, diagram, figure, photo) are marked "Fig." and numbered with Arabic numbers and the name is indicated (**Fig. 1. Name of the figure**). If the figure contains several images, each of them is marked with a Latin letter (a, b, c, ...). Designation - located below the drawing on the next line, aligned in the center and set at **12 pt, bold font**. If a graph or diagram is presented in the figure, all designations, including coordinate axes, must be deciphered in the caption to the figure. The picture is separated from the text above and below by an empty line. All figures in the text should have corresponding references in the form (fig. 1.), (fig. 2. a, b);
- tables are marked with the word "Table", numbered with Arabic numbers and the name is indicated after a period (**Table 1. Name of the table**). Table notation – located above the table, aligned on the right edge and set at **12 pt, bold font**. The table is separated from the text above and below by an empty line. All tables in the text should be referenced in the form (Table 1);
- references: drawn up at the end of the article **in the order of use of the source in the text** under the name "References". In the text, **references** are indicated by square brackets indicating the number of the source [1] or sources separated by a comma, if there are several of them: [2, 3]. References must be drawn up in accordance with DSTU 8302:2015. **Times New Roman font, 12 pt, single spacing**, alignment of main text by width;
- for a clearer introduction to the design requirements, it is necessary to view the **Sample of conference paper**.

*Regarding organizational issues, you can contact the conference mail: biotechconf@ukr.net
or to the head of the organizing committee:
Sergii Kostyk, tel. mob 093-967-9125*

1. *UDC, Title, Authors, place of work (study).*

UDC 575.827:604.6:582.683.2

**GROWTH OF ROPE PLANTS TRANSFORMED WITH THE *cyp11A1*
CYTOCHROME P450SCG GENE UNDER OSMOTIC STRESS**

Tregub M.S.¹, Sakhno L.O.²

¹Igor Sikorsky Kyiv Polytechnic Institute, pitbm@ukr.net

²Institute of Cell Biology and Genetic Engineering NAS of Ukraine

2. *Main part of the materials.*

Introduction. The use of bacterial cultures for the development of microbial drugs began in the 50s of the last century and has now become quite widely used. The basis for such preparations are rhizospheric microorganisms belonging to the PGPR group - "Plant Growth Promoting Rhizobacteria". These organisms are characterized by the fact that...

The aim of our work was to study the process of deep cultivation of *P. synxantha* strain UKM B-399.

Materials and methods. *P. synxantha* strain UKM B-399 was selected by the screening method from the Ukrainian collection of microorganisms. The strain was characterized by high antagonistic activity against a wide range of phytopathogenic fungi and bacteria [7]. A liquid nutrient medium was used for cultivation...

Results and discussion. We have established that the development process of *P. synxantha* UKM B-399 in the conditions of deep cultivation on rockers takes approximately 65-68 hours, after which the culture enters the dying phase. We also note that the active growth of the strain stops after 39-40 hours with the transition of *P. synxantha* UKM B-399 to the stationary phase...

Conclusions. According to the results of the conducted research, we determined the main growth phases of *P. synxantha* strain UKM B-399 in the periodic process of deep cultivation...

3. *References.*

References:

1. Bletska D. I., Glukhov K. E., Frolova V. V. Electronic structure of 2H-SnSe₂: ab initio modeling and comparison with experiment. Semiconductor Physics Quantum Electronics & Optoelectronics. 2016. Vol. 19, No 1. P. 98–108.
2. Kalita M, Bharadwaz M, Dey T, et al. Developing novel bacterial based bioformulation having PGPR properties for enhanced production of agricultural crops. Indian Journal of Experimental Biology 2015; 53(1):56–60.

4. Graphic materials.




Fig. 1. Average optical absorption values in CT solutions, where A are samples containing MP-88 and Au-DP, and B are MP-92 and Au-DP in SSC buffer solution of different multiplicity.




Fig. 2 Velocity trajectory of liquid points in a pipe: a - round cross-section, b - spherical cross-section, c - star-reversible cross-section, d - helical cross-section

5. Tables.

Table 1. Frequency of callusogenesis and regeneration in the culture of mature spelled germs.

Genotype	Callus environment	Callusogenesis frequency, %	Frequency of regeneration, %			
			MS b/g	MSR	MSBA	RZ2
Dawn of Ukraine	N6	92,4	46,4	36,4	47,6	7,1
	MS	99	55,9	69,4	48,3	0
4114	N6	98,3	50	37	4	0
	MS	100	20,7	32,1	14,8	0
4130	N6	100	57,7	45,2	60,7	0
	MS	100	64,5	78,8	73,1	3,8

WARNING! Materials that do not meet the requirements will not be considered.

Participant's application

Last Name

First Name

Degree

Academic status

Position (course for students)

Institution, faculty, department, department

Address of the institution, e-mail of the institution

Contact phone number

E-mail

For students:

Research supervisor, science degree, academic rank, position